

LANDFILL MAINTENANCE INNOVATION

LEACHATE SCALE TREATMENT &
MAINTENANCE TECHNOLOGY

OFTEN ENTIRELY ELIMINATING ALL JETTING
AND CHEMICAL USAGE

WHAT IF:

1

PRESSURE WASHING WAS NO LONGER NEEDED TO CLEAN LEACHATE COLLECTION PIPES

2

CHEMICALS & ACIDS WERE REDUCED OR ELIMINATED FOR LEACHATE SCALE MANAGEMENT

3

MAINTENANCE HOURS OF LEACHATE SCALE WERE REDUCED TO A FRACTION OF THE PAST

4

NEW & PROVEN TECHNOLOGY EXISTS THAT USES AN ELECTRONIC DEVICE TO ELIMINATE LEACHATE SCALE

5

LEACHATE SCALE MAINTENANCE BUDGETS WERE REDUCED BY 80-100%

WE DID IT



A SUSTAINABLE
TECHNOLOGY



SAME APPLICATION
SAME FLOAT
AFTER 8 WEEKS



BEFORE

AFTER 12
Weeks with

FlowScience
GO WITH THE FLOW



FlowScience
GO WITH THE FLOW

SOLVED
SCALING ON
THESE TOUGH
PROBLEMS



**“THERE IS A WAY TO DO IT
BETTER - FIND IT.”**

THOMAS A. EDISON

RE-INVENT YOUR **LEACHATE SCALE
MAINTENANCE PROGRAM**

THERE IS A BETTER WAY!

**JETTING, CHEMICALS, ACID TREATMENTS
AND PIPE REPLACEMENT WILL BECOME THE
MAINTENANCE TASKS OF THE PAST. BY
APPLYING OUR PROPRIETARY
TECHNOLOGY TO THE EXTERIOR OF PIPES
AND PUMPS; LEACHATE SCALE IS NOT ONLY
PREVENTED BUT REMOVED CONTINUALLY.**

Flow
GO WITH THE FLOW

CONTENTS

PAGE 07	ABOUT US
PAGE 08	SERIOUS BENEFITS
PAGE 09	HOW FLOWSCIENCE WORKS
PAGE 10	WHERE TO USE FLOWSCIENCE LSC
PAGE 11	SYSTEM SPECIFICATIONS
PAGE 12	APPLICATION
PAGE 13	NEED CONVINCING?
PAGE 14	STILL NOT CONVINCED?
PAGE 15	SOME PROJECTS
PAGE 16	REFERENCES
PAGE 17	CUSTOMERS SAY
PAGE 18	<u>GETTING STARTED</u> – A FEW HOURS FROM START TO FINISH – <u>HOW?</u>

ABOUT US

WE VET, INVEST, DEVELOP AND BRING SUSTAINABLE, COST SAVING TECHNOLOGIES TO INDUSTRY. IT MAY SOUND SIMPLE; BUT IT'S A DEMANDING PROCESS.



Leachate Scale Breakthrough

In 2015 we perfected our Leachate Scale Control System that would help re-invent landfill maintenance plans.

Today are proud partners in manufacturing with FlowScience; building the very best products for performance, safety and durability.

Confidence Guarantees Results

Our confidence and experience in the solutions we offer our clients allows us to GUARANTEE our technologies; assuring your organization that our applied technologies PROVE RESULTS. No project is too big. No project is too small. We love what we do and we stand behind it; as a company in helping create a greener planet and more efficient organizations everyday

FlowScience
Scale Control is a
NO BRAINER
and it's Easy to
Trial

Who Are Our
Landfill Customers?

ASK US
WE'RE EVERYWHERE



Reduce Costs

Elimination of jetting, acids, chemical maintenance and time relieves budgets.



Get More Sustainable

Mitigate environmental impact by often complete elimination of jetting, chemicals and acids.



Reduce Maintenance

FlowScience LSC requires little to no maintenance. Site personnel will have more time for pressing tasks.





Meet Compliance Standards

Pipes and surfaces stay clear without new chemicals or jetting on site. Camera inspections get easier without blockage.



Boost Corporate Responsibility & Innovate

Using proven technology that is Sustainable creates better companies and a better earth. Sustainable is cool. Savings in sustainability is epic.



HOW IT WORKS

Controls the Formation of Scale


The FlowScience system uses advanced signal generating technology applied to water via proprietary web induction treatment pads that are attached to piping, pumps or custom designed reaction chambers. This technology produces an electrically generated surface active catalytic effect in water that neutralizes the natural charge of suspended solids.

The technology, in effect, creates billions of available nucleation sites out of the suspended solids in the water that were previously unavailable due to their natural charge. When nucleation occurs, the dissolved calcium carbonate follows a path of least resistance by precipitating as microscopic seed crystals onto the suspended solids that are in solution with it and travelling at the same rate, rather than onto static piping or equipment surfaces.

PREVENTS

MAINTAINS

DISSOLVES




A SINGLE SYSTEM CAN TREAT OVER 2000 FEET OF PIPE

Dissolves & Eliminates Existing Scale

In addition to controlling the formation of new scale, the FlowScience system provides two functions that allow existing mineral scale deposits to be gradually softened and removed:

1. The precipitation reaction previously outlined above transforms the previously supersaturated solution into a lesser or undersaturated solution that has greater ability to dissolve existing calcium carbonate scale and carry it in solution.
2. Descaling can also be attributed to the liberation of dissolved CO₂ from leachate solution as CO₂ nanobubbles. These nanobubbles have a localized low pH in the range of 4 to 4.5. Physical contact of the acidic bubbles with existing scale promotes a carbonic acid effect that softens existing deposits. These bubbles have little effect on the bulk pH solution

WHERE FLOWSCIENCE MAKES A DIFFERENCE



PIPES

Leachate Scale Control Systems can be adapted to work on any type of pipe. Even dual-walled HDPE. Pipes are our specialty. Force mains, gravity lines and any type of collection pipes where there is scaling precipitation can be permanently scale free with FlowScience.

PUMPS

Tired of pulling pumps for maintenance? FlowScience can be adapted to pneumatic and electric pumps for use in any location. LFG wells and side slope risers have all been treated with our Leachate Scale Control Systems.

WASTEWATER TREATMENT EQUIPMENT

Critical areas of Waste Water Treatment can fail due to precipitation of calcium carbonate scaling. Gii Scale Control has had tremendous success with; bio-reactors, RO Systems, heat exchangers, evaporators and more.

THE JETTING GUYS

We're sorry guys. But leachate scale control systems are good for the environment too. Elimination of diesel equipment, chemicals, acid and pipe replacement is a very good thing for the planet.


SYSTEM SPECIFICATIONS



FlowScience LSC systems are designed to last and stand up to the harshest of environments. Up to **11-Year Warranty Available.**



ESA Certified




ISO 9001 Manufacturing Facility



NEMA 4X Outdoor Weather Resistant Enclosures



Designed to Fit Pipes: 2"-24"



100-240 Volt & Solar Options




Harsh Environment Cabling



EPA Compliant



Adaptable to Pumps & WasteWater Treatment Applications





Works 24/7

APPLICATION IS SIMPLE

Sometimes the most daunting task is just getting started. It's Easy to Try. That's why it is important to understand that we've made that simple. Once a power source is determined and made available the rest of the install can be done in **as little as 15 mins** with our easy to understand **IOM** (included with every system). Your systems are drop shipped directly to the site already set for your application.



No Pipe Cutting or Injection Points



Simply Plugs into 120 V



Zero Maintenance Required



A Single System Treats up to 2000 Linear Feet of Pipe



Charge Pads Attach to Pipe or Pump Exterior Easily



Remote Monitoring Available



Zip Tie + Cover + Plug-In
It's That Simple

FROM YOUR OPERATING BUDGET TO
THE ENVIRONMENT;
THERE ARE SAVINGS IN YOUR PIPES.
DO YOU STILL NEED MORE
CONVINCING?

STILL NOT CONVINCED?



NOT READY TO ELIMINATE CHEMICAL AND JETTING TREATMENT OF LEACHATE SCALING YET?



Trial programs are available



11-YEAR WARRANTY

Full replacement 11-year EXTENDED WARRANTY. That's a long time.



PERFORMANCE GUARANTEE

If your FlowScience LSC System doesn't work to your satisfaction WE BUY IT BACK. Wouldn't it be nice if everything in life was?



AGGRESSIVE RETURN ON INVESTMENT

Maintenance savings create ROI that is usually within mere months. Apologize to the jetting guys for us.




SUSTAINABLE TECHNOLOGY

Going Green is in. Low power consumption and elimination of diesel powered jetting trucks and chemicals is a bonus.

SOME PROJECTS



01



03



02



04



PROJECT ONE

LFG Wells have temperatures of close to 180F. Pneumatics are being pulled weekly for acid baths and maintenance. LSC Pump Protectors have kept the affected pumps scale free and dewatering for over a year and counting.

PROJECT TWO

A Big 3 landfill is laden with aluminum dross composition in multiple cells. Precipitation of scaling is accelerated due to elevated temperatures. The landfill was desperate for a solution as there wasn't enough hours in the day for jetting catch-up. The site started with 2 systems and today has 34 with over \$1.5 million in annual savings

PROJECT THREE

Force Mains are more frequently requiring jetting and tens of thousands of feet of pipe are affected. Jetting costs are heavy. 6 LSC systems keep nearly 14000 linear feet of force main clear to date and even removed existing deposits site personnel didn't even know existed.


PROJECT FOUR

Bio-Reactor (SMBR) media was the grow point for biologicals to treat leachate. Very effective. Over time media became covered with scale and fell to the bottom of the basins. This would require serious maintenance time and costs to clean or replace the media entirely to begin the process again. It took a few attempts but today we keep SMBR's scale free without the use of chemicals.



A CLIENT REFERENCE

Mike H.
District Manager
Big 3 Landfill



“A sustainable/green solution that will save landfills costs is a winner in my books”

REFERENCE LETTER

To Whom It May Concern:

| have had the opportunity to use Gii Scale Control's Leachate Scale Control System which was able to fulfill all my expectations as a landfill Assistant District Manager. | was able to try the systems on the landfill | manage and operate to remove scaling on a 6" leachate collection pipe feeding the main tanks.

Results were as described and proved any skepticism wrong. The system was able to inhibit active scaling and eliminate existing deposits. As a solution to conventional jetting and chemical treatment | highly recommend the technology if leachate scale is a problem at your site. The product comes with a complete installation manual and was installed by my crew in under 20 minutes.

A sustainable/green solution that will save landfills costs is a winner in my books. | now know who to call if scale develops anywhere on my site. I'd encourage you to do the same as Gii Group guarantees results or they buy it back. That's pretty unique.

Very Best Regards,

Michael H. Assistant District Manager

WHAT CUSTOMERS SAY



District Manager
Big 3 Landfill

“I sincerely apologize for taking so long. Thank you for your persistence and follow-up. Now let’s do the rest of the landfill”



Michel Emond
Mabarex WasteWater
Treatment

“It’s tres magnifique. You solved a big problem for us”



JETTING GUY
Pressure Washing
Company

“I don’t like these FlowScience guys”

✓ REFERENCES

✓ CASE STUDIES
Click Them

[LFG headers](#)

[BioReactor](#)

✓ TRIAL
APPLICATIONS

ARE AVAILABLE

DESIGNED IN MINUTES INTALLED IN AN HOUR RESULTS IN DAYS!

- ✓ CONSULTATION | 30 Mins
- ✓ LSC LANDFILL DESIGN FORM | 20-60 Mins
- ✓ FINALIZE SCALED APPLICATION | 30-60 Mins
- ✓ SHIP TO SITE | (Delivered within 2 Weeks)
- ✓ INSTALLATION | 1 Hour (Typical) per LSC System

A man in a dark suit, white shirt, and tie is riding a black office chair on wheels. He is wearing a black helmet and goggles, and has a wide, excited smile. He is sitting on a snowy surface with a city skyline in the background. A speech bubble next to him contains the text: "HAD A FEW HOURS ON A FRIDAY! MIND BLOWN."

HAD A FEW HOURS
ON A FRIDAY!
MIND BLOWN.

GET STARTED TODAY: trial@giigroup.ca

CONTACT US

900 McKay Road
Pickering | ON | Canada
L1W 3X8

1.888.97.GREEN info@giigroup.ca
1.888.974.7336

FlowScience
GO WITH THE FLOW

www.giiscalecontrol.com

www.getflowscience.com